

Factor Rating Interpretation Guide Stress

What is Stress?

Stress measures the feeling of emotional strain or pressure. Stressed individuals may feel unable to predict or influence valued and prominent aspects of their lives.¹¹

The following items are used to assess *Stress* on the DEOCS using a four-point response scale from *Never* to *Often*. Participants are asked to think about the past three months when responding.

- In the past three months, how often have you felt nervous or stressed?
- In the past three months, how often have you found that you could not cope with all of the things you had to do?

Why is it important?


Research has shown that *Stress* within a military environment can cause significant health hazards in the military work environment which can cause poor performance, increased turnover intentions, and greater likelihood of suicidal ideation.¹ A survey focused on U.S. military personnel found that work *Stress* was significantly related to poor work performance, more days of missed work, and poorer physical health. These results support accumulation of *Stress*, indicating that work *Stress* is a significant occupational health hazard in the routine military work environment.² *Stress* is also associated with lower worker retention.^{3,4} More specifically, DeTienne et al.⁵ found that certain types of workplace stressors—such as interpersonal or those pertaining ethical conflicts—are associated with increased turnover intentions.

Numerous studies also link *Stress* to suicidal ideation.^{6,7,8} For example, a 2017 study of National Guard soldiers returning from deployments in Iraq and Afghanistan found that increased levels of perceived *Stress* were a contributing factor to increased risk of suicide.⁹ Similarly, a 2011 study examined stressors related to readjustment post-deployment and predicted higher risk of suicidal ideation among Army Reserve veterans returning from Iraq.¹⁰


For more information on how to review your DEOCS results with these key outcomes in mind, please see the "Strategic Target Outcome Guide" in the Quick Links menu of the DEOCS dashboard.

How do I read my factor ratings?

The DEOCS dashboard displays results for *Stress* in a stacked bar graph showing ratings for **Moderate/High Stress** and **Low Stress**. Because *Stress* is a factor that is measured by multiple questions, you should interpret the results as "X% of responses" (not participants). An example is shown below:



For the graph showing results by demographic categories, the percentages represent the percentage of responses from each demographic category that were unfavorable or favorable.



The first bar will always show the overall results and will be the same percentages that are shown in the stacked bar graph. The next bars will represent various demographic categories for your organization. These results can help determine whether some groups of people in your organization have particularly high or low perceptions of climate factors. In addition, you may have different categories than in the example above. If your organization did not have any participants from a particular demographic category or had fewer than five participants from a particular category, you would not see those categories in your graph. For more information on how the demographic groups are created, please see the "Data Overview" in the Quick Links menu of the DEOCS dashboard.

In this example, the unfavorable ratings (marked in red) can be interpreted as:

- 39% of responses from non-Hispanic White participants indicated moderate or high stress, while 41% of responses from minority participants indicated moderate or high stress;
- 39% of responses from male participants indicated moderate or high stress, while 48% of responses from female participants indicated moderate or high stress;
- 43% of responses from enlisted participants indicated moderate or high stress, while 27% of responses from officers indicated moderate or high stress.

The favorable ratings (marked in green) can be interpreted as:

- 61% of responses from non-Hispanic White participants indicated low stress, while 59% of responses from minority participants indicated low stress;
- 61% of responses from male participants indicated low stress, while 52% of responses from female participants indicated low stress;
- 57% of responses from enlisted participants indicated low stress, while 73% of responses from officers indicated low stress.

You may also see trends over time for your *Stress* unfavorable rating if there are previous surveys with the same unit identification code (UIC) and the same commander/leader.

When applicable, trends over time are available in the dashboard by clicking on this icon: They also appear in the PDF reports as a table. Even if your report includes trends over time, the results may not be comparable in certain circumstances. First, the questions used to measure this factor changed from the DEOCS 5.0 to the current version, DEOCS 5.1. It was measured using four questions on DEOCS 5.0 and is now measured by only two questions. The previous survey asked participants to consider their experiences over the past month, while the current survey asked them to consider their experiences over the past three months. Use caution when comparing trends from DEOCS 5.0 to 5.1 for this factor in particular. Second, it is important to understand differences in roster size and roster composition at different time points as these items may also impact comparability of trend results. Take a close look at the number of participants registered, surveys returned, and the response rate for any surveys for which trends are available to report; use caution when comparing trends over time if there are big differences in these numbers between surveys. Other things, such as deployments or changes in policy, may also make trends less comparable. For more information on factor rating trends, please see the "Data Overview" in the Quick Links menu of the DEOCS dashboard.

Finally, you may see an alert for your *Stress* ratings. This means that your unit's/organization's unfavorable rating for *Stress* is **very high** compared to the other unfavorable ratings for this factor from all other units/organizations that completed a DEOCS. When applicable, this alert icon appears in the dashboard inside the "Risk Factors – Unfavorable Ratings" heading; click on the icon to see if *Stress* is listed in the table. The alert icon may also appear in the *Stress* section of the PDF reports. To identify whether your *Stress* ratings receive an alert, cut-off scores were created by rank-ordering all unfavorable ratings for this factor. If your unfavorable rating for *Stress* is above the cut-off score, this icon will appear in your report. There are unique cut-off scores for each factor. Because of this, you may notice that some of the factors for which you have an alert have very different ratings. For more information on how these alerts are created, please see the "Data Overview" in the Quick Links menu of the DEOCS dashboard.

How are my unit's/organization's ratings created?

Stress ratings are created by combining responses to two questions from a four-point *Never* to *Often* scale, as shown in the example below.

Stress Questions	Never	Rarely	Sometimes	Often	Total
In the past three months, how often have you felt nervous or stressed?	22% (40)	25% (46)	26% (48)	28% (52)	100% (186)
In the past three months, how often have you found that you could not cope with all of the things you had to do?	48% (88)	25% (46)	18% (33)	10% (18)	100% (185)
	Low Stress		Moderate/High Stress		Total responses 371
	(40+46+88+46) / 371 = 59%		(48+52+33+18) / 371 = 41%		

The table above displays the percentage of responses (and number of responses in parentheses) for each question across the four response options (*Never*, *Rarely*, *Sometimes*, and *Often*). For the first question, 40 participants selected *Never*, this represents 22% of participants that responded to this question (40 / 186 = .215 or 22%).

Note that percentages are calculated out of the total number of participants responding to that question and not the total number of participants taking the survey. Participants can skip questions, so you may notice that total responses to questions vary. In the above example, 186 people responded to the first question so all percentages in this row use 186 as the denominator. 185 people responded to the second question, so all percentages in this row use 185 as the denominator. In addition, factor ratings may not always add to 100% due to rounding.

- The **unfavorable** rating, named **Moderate/High Stress**, is a combination of all responses of *Often* and *Sometimes* from **both** questions in the *Stress* scale.
 - For this example, 48 people answered Sometimes to the first question, while 52 answered Often and 33 people answered Sometimes to the second question and 18 answered Often. In total, 151 responses were either Often or Sometimes to these two questions (48+52+33+18 = 151).
 - To produce an overall score for Moderate/High Stress representing unfavorable responses to these questions, the total number of responses (151) is divided by the total number of people who responded to all of the Stress questions. 186 people responded to the first question and 185 to the second for a total of 371 responses to both questions. This produces a Moderate/High Stress rating of 41% (151 / 371 = .4070).
- To create the favorable rating, named Low Stress, the Never and Rarely responses are combined.
 - For this example, that is 40+46+88+46 = 220 total responses of either *Never* or *Rarely*. This total is divided by the total number of responses to all of the questions (220 / 371 = .5930). This rounds to a Low Stress rating of 59%.

How do I know if my factor ratings are good or bad?

The DEOCS team is working on a data-driven approach that will help you understand what a rating means for an organization's likelihood of positive or negative outcomes. In the meantime, we recommend using the following strategies to help put your *Stress* ratings into context and understand whether actions should be taken to address high unfavorable ratings:

- 1. If applicable, review the information in the alert icon to see if your *Stress* ratings are called out. This icon would appear in the dashboard and in the PDF reports if your unit's/organization's unfavorable rating for *Stress* is very high compared to all other units/organizations that completed a DEOCS. You should consider taking action to lower this rating.
- 2. Look at the Item Summary table on the Stress details page to understand which questions may be driving your unfavorable rating. This factor is created from two questions, so compare the percentage of participants who selected Sometimes or Often to each question. If there are questions that have a higher percentage of participants who selected Sometimes or Often, these questions are driving a higher unfavorable rating and could help you pinpoint more specific actions to decrease your unfavorable rating for Stress.
- 3. Examine the bar graph showing the overall unfavorable rating for *Stress* and the unfavorable ratings by various demographic groups. Look at each group's rating in relation to the overall unit/organization rating. If any groups have particularly high unfavorable ratings for *Stress*, this could help you plan actions to decrease your unfavorable rating in specific areas of your organization.
- 1. If applicable, review your *Stress* unfavorable rating trends over time. You can view these trends by clicking on this icon in the dashboard; they also appear as a table in the PDF reports. Take note if your ratings are going up over time. You may need to take action to reverse this trend.

Factor Improvement Tools for Stress

The following resources may be useful as you make plans or take action to improve your *Stress* ratings. Each resource listing contains a description, a link, and the relevant audience. Some resources may be more appropriate for the commander/leader, unit/organization personnel, survey administrators, or the Integrated Primary Prevention Workforce (IPPW); the relevant audience advises which group may benefit from use of the recommended resource.

- Follow These Stress Relief Tips. Tips on managing stress while in the Military.
 https://www.militaryonesource.mil/health-wellness/healthy-living/managing-stress/follow-these-stress-relief-tips/
 - Audience: Unit personnel, survey admin, IPPW
- Leader's Guide to Work-Related Stressors. Guide for leaders on recognizing workplace stress, including signs to look for, recommended actions, and leadership considerations.

https://www.resilience.af.mil/Portals/71/Documents/A.%20Prevention%20Documents/LeadersGuide_Work_Related_Stressors%2018May20.pdf

Audience: Commander/Leader, unit personnel, survey admin, IPPW

 Managing Combat and Operation Stress. Handbook for managing combat and operational stress.

https://www.iimef.marines.mil/Portals/1/documents/PWYE/Toolkit/MAPIT-Modules/COSC/Managing%20Combat%20and%20Operational%20Stress_a%20Handbook%20for%20Marines%20and%20Families.pdf

Audience: Commander/Leader, survey admin, IPPW

Scientific Research References on Stress

- 1. Brooks, S. K., & Greenberg, N. (2018). Non-deployment factors affecting psychological wellbeing in military personnel: Literature review. Journal of Mental Health, 27(1), 80–90. https://doi.org/10.1080/09638237.2016.1276536
- 2. Pflanz, S. E., & Ogle, A. D. (2006). Job stress, depression, work performance, and perceptions of supervisors in military personnel. Military medicine, 171(9), 861–865. https://doi.org/10.7205/milmed.171.9.861
- 3. Griffeth, R. W., Hom, P. W., & Gaertner, S. (2000). A Meta-Analysis of Antecedents and Correlates of Employee Turnover: Update, Moderator Tests, and Research Implications for the Next Millennium. Journal of Management, 26(3), 463–488. doi: 10.1177/014920630002600305
- 4. O'Neill, J., & Davis, K. (2011). Work stress and well-being in the hotel industry. International Journal of Hospitality Management, 30(2), 385–390.
- 5. DeTienne, K. B., Agle, B. R., Phillips, J. C., & Ingerson, M.-C. (2012). The impact of moral stress compared to other stressors on employee fatigue, job satisfaction, and turnover: An empirical investigation. Journal of Business Ethics, 110(3), 377–391.
- North Atlantic Treaty Organization, Science and Technology Organization. (2018).
 Military suicide prevention: Report prepared for NATO leadership (TR-HRM-218). https://bit.ly/2rbkOZs
- 7. Stone, D. M., Holland, K., Bartholow, B., Crosby, A., Davis, S., & Wilkins, N. (2017).
 Preventing Suicide: A Technical Package of Policy, Programs, and Practices (p. 62).
 National Center for Injury Prevention and Control, Centers for Disease Control and Prevention.
- 8. Lebares, C. C., Guvva, E. V., Ascher, N. L., O'Sullivan, P. S., Harris, H. W., & Epel, E. S. (2018). Burnout and stress among us surgery residents: Psychological distress and resilience. Journal of the American College of Surgeons, 226(1), 80–90.
- Kim, H. M., Levine, D. S., Pfeiffer, P. N., Blow, A. J., Marchiondo, C., Walters, H., & Valenstein, M. (2017). Post deployment suicide risk increases over a 6-month period: Predictors of increased risk among midwestern Army National Guard soldiers. Suicide and Life-Threatening Behavior, 47(4), 421–435.
- 10. Kline, A., Ciccone, D. S., Falca-Dodson, M., Black, C. M., & Losonczy, M. (2011). Suicidal ideation among National Guard troops deployed to Iraq: The association with postdeployment readjustment problems. The Journal of Nervous and Mental Disease, 199(12), 914–920.
- 11. Cohen, S., & Williamson, G.M. (1991). Stress and infectious disease in humans. Psychological Bulletin, 109(1), 5-24. https://doi.org/0033-2909/91